




10





Kerri Johannson		
Financial Affiliations		
Honoraria, other rewards	Boehringer-Ingelheim, Hoffman-La Roche Ltd.	
Speakers' Bureaux, advisory boards	Boehringer-Ingelheim, Hoffman-La Roche Ltd., Theravance, Blade Therapeutics, Three Lakes Foundation, Pulmonary Fibrosis Foundation	
Grants, clinical trials	The Chest Foundation, UCB Biopharma SPRL, Cumming School of Medicine, Pulmonary Fibrosis Society of Calgary	
Patents, royalties	None	
Other influential affiliations	None	




















20








CONSU-EX Adult Adamsons (it anders of 192 are activited)						
Harrison Mark (1997) - One mark is more and services and the left (1997) Herrison Mark (1997) - One mark is more and the left (1997) Harrison Mark (1997) - One mark is Mark (1997) Harrison Mark (1997) - One mark is Mark (1997) Harrison Mark (1997) - One mark (1997) Harrison Mark (1997) - One mark (1997) Harrison Mark (1997) - One mark (1997)	a liveda					
NAME IN COMM			B Chevrolator			
Name (an Array						
# Obstation Despension (All	Factorpation (12) B. Oliv Factorpation (1991) B. Oliv	als of Ease Designation (= ME) als of Ease Designation (== (1)	II Class of Les Despatient - 12			
Setter I Setter J. Kelly Thereign	the:		-			
	Transfer for another to particular the X-transfer of a new charge to magnet free of the field of the	her pressus is contact by same loss of comparison for its spectrum same loss of suggestion. Sec(1)	***			
Arrest Generatry Rolid Procedures Indulate and worked pressions in g. register wetters, part automation sci	and 1	(Increasing the				
Carlos Array Incaddrer (24) New Yes Anderson Indiano (2019) (2019) (anale that Franchingen And National Malanet Assertation	A for expand Campier decument with	Rendering the super-plane () (1000 l)	A-1			
lipet on order Nam Class regarding listing a coloring		National Party, Security 1988, No. 498, 499 Physical Society (1988), 1997, 1989	10 C			
solation						
		AVEN STOLEN	1	Isolation Reason	Additional Information	
Order	Start Date	Start At	Isolation Type			
- Isolation - 1 item(s)			Isolation Type			
	Start Date	ASAP	Isolation Type			
- Isolation - 1 item(s)			lisolation lype			
- Isolation - 1 item(s)	T	ASAP				
- Isolation - 1 item(s)	T	ASAP		D-Dimer being performed for COVID ris	k stratification.	
Isolation - 1 item(s) Isolation Isolation patient being admitted, ensure	T	ASAP			k stratification.	
- Isolation - 1 item(s) - Isolation f patient being admitted, ensure Wrology - NP Swabs	T all of the following inve	ASAP		D-Dimer being performed for COVID ris		
Isolation - 1 item(s) Isolation Isolation	T all of the following inve	ASAP		D-Dimer being performed for COVID ris	k stratification. piratory Infection Panel (Viral)	
- Isolation - 1 item(s) - Isolation f patient being admitted, ensure Wrology - NP Swabs	T all of the following inve	ASAP		D-Dimer being performed for COVID ris		


23























α	ALBERTA PRECISION LABORATORIES Leaders in Laboratory Medicine	
Date: To: From Re:	April 10, 2020 All Health Care Providers Alberta Precision Laboratories (APL) – Public Health Laboratory COVID-19 test performance PLEASE POST OR DISTRIBUTE AS WIDELY AS APPROPRIATE	
Te th Th T T T C Lii pp as th cc C C T	tessages: sting for COVID-19 is performed using a real-time reverse transcriptase PCR assay developed at APL – Public Health Laboratory (ProvLab). is laboratory-developed test detects RNA of the COVID-19 virus. It detects two targets: the velope gene and the RNA-dependent RNA polymerase gene. e performance of the ProvLab test equals or exceeds that of many other COVID-19 tests used in nada and those that have received regulatory agency approval. nit of detection studies demonstrate that the ProvLab test detects fewer than 10 copies of the virus reaction. Testing a large panel of samples positive for other respiratory pathogens showed that the say does not cross-react with other viruses including seasonal coronaviruses. Parallel testing with Public Health Agency of Canada National Microbiology Laboratory (Winnipeg) revealed 100% ncordance. mmercial tests will be implemented in the near future and will also undergo rigorous evaluation. e clinical sensitivity of any test is completely dependent on the quality of specimen collected. If a -quality specimen is collected, false-negative results can occur.	
	https://www.albertahealthservices.ca/assets/wf/lab/wf-lab-bulletin-COVID-19-test-performance.pdf	32




33










36











on their assessment) from low (1%) to hig	. ,		
Pretest likelihood of COVID-19 disease	If test is 90% sensitive, the FALSE NEGATIVE RATE	If the test is 80% sensitive, the FALSE NEGATIVE RATE is:	
1%	is: 0.1%	0.2%	
10%	1.%	2%	
30%	3%	6%	
50%	5%	10%	
90%	9%	18%	
Note: These values were calculated using disease is high, the likelihood that a test n			f







43





44















































































69






















75







1 Function as Proxy—Clinical Frailty Index CALGARY Clinical Frailty Scale* 7 Severely Frail - Completely dependent for personal care, from whatever cause (physical or cognitive). Even so, they seem stable and not at high risk of dying (within – 6 months). Very Rt - People who are robust, active, energetic **IADLs** and motivated. These people commonly exercise regularly. They are among the fittest for their age 8 Very Severely Frail – Completely dependent, approaching the end of life. Typically, they could not recover even from a minor illness. (stuff that lets you **BADLs** 2 Well - People who have no active disease live independent in symptoms but are less fit than category 1. Often, they exercise or are very active occasionally, e.g. seasonally. (personal care) the community) Bathing 3 Managing Well – People whose medical problems are well controlled, but are not regularly active beyond routine walking. Transportation 9. Terminally III - Approaching the end of life. This category applies to people with a life expectancy <6 months, who are not otherwise evidently frail. Dressing Finances Grooming Medications 4 Vulnerable – While not dependent on others for daily help, often symptoms limit activities. A common complaint is being "slowed up", and/or being tired Toileting/conti Scoring frailty in people with demen Cooking The degree of faily corresponds to the degree of dementia. Common symptoms in mild dementia include forgetting the details of a recent event, though still remembering the event itself, repeating the same questionistory and social withdrawal. nence during the day. Housework Transfers/mob 5 Mildly Frail - These people often have more evident slowing, and need help in high order IADLs and ility In moderate dementia, recent memory is very impaired, even (finances, transportation, heavy housework, medica-tions). Typically, mild fraility progressively impairs shopping and walking outside alone, meal preparation and housework. maintenance though they seemingly can remember their past life events well. They can do personal care with prompting. Eating Shopping In severe dementia, they cannot do personal care without help Meal * I. Canadian Study on Health & Aging Revised 2008. 2.K. Rodowood et al.A. global cinical masares of foreas and frailty in elderly people. CMAJ 2005;173:483-495. 6 Moderately Frail – People need help with all outside activities and with keeping house. Inside, they often have problems with stars and need help with bathing and might need minimal assistance (cuing, standby) with dressing. preparation 2018 Writen 1.2 _DL All rights nueved Garbeit: Paddins surth, Dishoule University, Suffac, Canada Favritation guided and for many find of additional surgeous artic Source: https://www.dal.ca/sites/gmr/our-tools/clinical-frailty-scale.html 78









81



82









85










89



f the Hospitalized Patient	
IEOC COVID19 Website	
https://www.departmentofmedic	cine.com/meoc-hospital-care/
Department ^{ar} Medicine	Department ^{of} Medicine
SCITNES EXCLUSION REALIZY RECONSTRUCT MICE RECONST.	SICTIONS EDUCATION RESELUCT RECEIPTION OF THE SECOND STATES STATE
MeDICINE EMERGENCY DEPARTORIS COMMAND MEDIC COVID-19	RY ZONE MEDICAL ENCY-PANDEMIC TIONAL COMMAND (MEOC) RCES Thosps notacine device of Capy J and the process state winter Public and the process state and the state of Capy J and the process state winter Public and the process state and the state of Capy J and the process state winter NGC Date Mailer • Object the Date of
d wellness, attracting the best (MEOC) FEEDBACK	
or wellness attraction the best	KUNTERNOT In sprut match lock huged are single. Hower Tak CALE Protection WILLINGS Stability of pay and why dry storg to the state of